

SUMMATIVE ASSESSMENT – II SCIENCE Class – X

Time allowed: 3 hours Maximum Marks: 90

General Instructions:

- (i) The question paper comprises of **two Sections**, **A** and **B**. You are to attempt both the sections.
- (ii) All questions are compulsory.
- (iii) There is no overall choice. However, internal choice has been provided. Only one option in such questions is to be attempted.
- (iv) All questions of **Section-A** and **all** questions of **Section-B** are to be attempted separately.
- (v) Question numbers **1** to **3** in **Section-A** are **one mark** questions. These are to be answered in **one word** or in **one sentence**.
- (vi) Question numbers **5** to **11** in **Section-A** are **two marks** questions. These are to be answered in about **30 words** each.
- (vii) Question numbers **12** to **23** in **Section-A** are **three marks** questions. These are to be answered in about **50 words** each.
- (viii) Question numbers **24** to **27** in **Section-A** are **five marks** questions. These are to be answered in about **70 words** each.
- (ix) Question numbers **28** to **43** in **Section-B** are multiple choice questions based on practical skills. Each question is a **one mark** question. You are to select one most appropriate response out of the four provided to you.

SECTION-A

- **1.** Molecular formula of a hydrocarbon is C_3H_8 . Draw its complete structure and write its name.
- **2.** Mention the name of a structure found in human eye that controls size of pupil.
- **3.** Consider a food chain of the following-fish, crab, plankton, shark Arrange the above chain in proper order of trophic level.
- **4.** Mention the role of decomposers in our eco-system.
- **5.** State Modern Periodic Law. Name the two elements of first period.
- 6. Arrange the following elements in the descending order of atomic size and give a reason for your answer. Mg, Cl, P, Ar (Atomic numbers of the above elements are 12, 17, 15, 18 respectively.
- 7. Differentiate between the fission of uni-cellular organism Leishmania and of Plasmodium.
- **8.** Mention any four ways of asexual reproduction.
- **9.** (a) State Snell's Law of refraction.
 - (b) Define refractive index of a medium and express it mathematically.
- **10.** (a) What is the least distance of distant vision for the normal eye?
 - (b) Does the above distance increase or decrease for long-sighted eye? Give reason for your answer with diagram.
- **11.** (a) Why danger signals are red in colour?
 - (b) What would have been the colour of sky if the earth had no atmosphere? Give reason for your answer.
- **12.** Fossil fuels are being increasingly used as source of energy. List any two reasons for replacing these by alternate sources of energy.
- **13.** List any two reasons due to which construction of large dams is opposed.
- **14.** (a) Write chemical name and formula of Vinegar?
 - (b) Describe with a chemical equations what happens when sodium reacts with ethanol.



- **15.** (a) What are metalloids?
 - (b) Name any four metalloids
- **16.** (a) What are sexually transmitted diseases? Name any one which is caused by bacteria and one caused by viral infection.
 - (b) Mention any two methods to avoid such diseases.
- **17.** Explain in brief the factors that can lead to the rise of new species.
- **18.** Define the following terms for a lens with the help of diagram.
 - (a) Optical centre
- (b) Principal axis
- (c) Principal focus
- **19.** What are homologous organs? How do they provide evidence in support of evolution?
- **20.** Draw the image formation by a concave mirror of focal length 15cm for the following positions of object (diagrams may not be drawn to the scale)

Indicate the nature and relative size of image

- (i) object is placed at 30cm from mirror
- (ii) object is placed at 10cm from mirror 15 cm(i) 30cm (ii) 10cm
- **21.** (a) Explain the difference between a converging and diverging lens with the help of diagram.
 - (b) Power of a lens is 1.5 D. What is the nature of this lens?
- **22.** (a) Draw a diagram to show the formation of image of a distant object by a myopic eye. How can such an eye –defect be rectified?
 - (b) State two reasons due to which this eye defect may be caused.
- **23.** In human beings, the statistical probability of getting either a male or a female child is 50:50. Give reasons and explain with the help of diagram.
- **24.** Write balanced chemical equation for the following
 - (a) Methane is burned in sufficient air.
 - (b) Ethanol is treated with sodium.
 - (c) Ethanoic acid is reacted with sodium hydroxide.
 - (d) Ethanoic acid is treated with Sodium carbonate.
 - (e) Ethanol is mixed with Ethanoic acid in the presence of an acid.

OR

(a) Ester with molecular formula C₄H₈O₂ is ethyl ethanoate (CH₃COOCH₂CH₃). Its structural formula is represented as follows:

Write the structural formula of the corresponding alcohol and the acid.

- (b) Mention the experimental conditions involved in obtaining ethene from ethanol and write the chemical equation for the above reaction and write the chemical equation for the above reaction.
- (c) Explain the cleansing action of soap.
- **25.** (a) Draw a diagram illustrating germination in a flowering plant and label Stigma, Pollen grain, Male germ cell, Female germ cell.
 - (b) Describe the process of germination.

OR

(a) Draw a diagram showing longitudinal section of a flower and label – Stigma, Ovary, Anther, and Filament.



(b) How is the process of pollination different from fertilization. 26. (a) Illustrate with the help of ray diagram for a concave mirror the following terms – Principal focus (ii) Center of curvature (b) The image of a candle flame formed by a lens is obtained on a screen placed on the other side of the lens. If the image is three times the size of the flame and the distance between lens and image is 80cm, at which distance should the candle be placed from the lens? What is the nature of the lens? Also give the nature and position of image. OR (a) Illustrate with the help of ray diagram for a convex mirror the following terms – (i) Principal focus (ii) Center of curvature. (b) An object 2cm high when placed in front of a converging mirror produces a virtual image 3cm high. If the object is placed at a distance of 8 cm from the pole of the mirror, calculate: the position of the image (ii) the focal length of the converging mirror. **27**. Name any four modes of reproduction used by single organisms. With the help of a neat diagram explain the process of regeneration in Planaria. "More complex organisms cannot give rise to new individuals through regeneration". Why? OR Distinguish between pollination and fertilisation. Explain why, pollination may occur without fertilization but fertilisation will not take place without pollination. Draw a neat diagram showing the process of pollination and fertilisation in a flowering plant and label the following on it. (i) Female germ cell (ii) Male germ cell (iii) Ovary (iv) Pollen tube SECTION - B 28. A thin plate of zinc metal is placed in a beaker containing aqueous ferrous sulphate solution. The zinc plate is taken out after 15 mins. The colour of solution changes to: (a) deep yellow (b) deep green (c) light blue (d) colourless. 29. When an aluminium strip is kept immersed in freshly prepared ferrous sulphate solution taken in a test tube, the change which is observed is: (a) the green solution slowly turns brown (b) the lower end of the test tube becomes slightly warm (c) acolourless gas with the smell of burning sulphur is observed (d) light green solution changes to blue. **30.** On mixing acetic acid with water: (b) a colloidal solution is formed. (a) a suspension is formed. (c) a homogeneous solution is formed. (d) a heterogeneous solution is formed. 31. Acetic acid:

(a) is neutral towards litmus.

(b) turns red litmus blue but does not affect blue litmus.(c) turns blue litmus red but does not affect red litmus.

(d) turns the blue litmus red and red litmus blue.




32.	Gas evolved on dropping acetic acid on Na2CO3 is passed through lime water. It will be observed that –				
	(a) it turns milky.		(b) it remain colourless.		
	(c) a white precipitate settles at the bottom.		(d) it turns brown.		
33.	of 15.3 cm on an optical bench. To	o get a clear image en was placed at 32 (b) 1	Manoj fixed it on a stand and kept it on a mark of a distant tree, he adjusted a screen and 2.5 cm. Focal length of the lens is: 17.2 cm 17.8 cm		
34.		t formed in the mins: (B) concave (D) plane at	nd asked four students A, B, C, D to identify the rror. Image was erect and enlarged. The in nature. the center and concave from edges		
35.		/ /			
36.	Four students traced the path of a correct path was traced by-	B (b) B (d) D	gh a glass slab as follows –		
37.	angle of refraction(r), and angle of (i) $\angle i = \angle e = \angle r$ (ii) $\angle i > \angle e = \angle r$ (iii) $\angle i = \angle e > \angle r$ (iv) $\angle i < \angle e < \angle r$ Correct relation is (a) i	of emergence(e) in	ss slab, Priya measured angle of incidence(i), various sets of observations which were as -		
	(c) iii	(d) iv			

38.


In binary fission of amoeba-



- (a) cytoplasm has to divide first before the division of nucleus.
- (b) cytoplasm and nucleus divide simultaneously
- (c) nucleus divides first followed by division of cytoplasm
- (d) development of tiny out growth divides the parent cell into two daughter cells.
- 39. Figure given below shows binary fission of amoeba but these are not in right sequence. Correct sequence is:
 - (a) i, iii, iv, ii
 - (b) ii, iii, iv, i
 - (c) iv, iii, ii, i
 - (d) iii, iv, ii, i



- **40**. A chain of yeast cells is formed when:
 - (a) yeast cells do not separate after budding.
 - (b) yeast cells are infected by a virus.
 - (c) yeast cells stick to each other due to mucus
 - (d) yeast cells are infected by a bacteria.
- **41**. Given below are diagrams drawn by four students for budding of yeast. The students who has drawn correct diagram-



(a) A

(b) B

(c) C

- (d) D
- **42**. A student put five raisins each in two beakers A and B. Beaker A contained 50 ml of distilled water and beaker B had 50 ml of saturated sugar solution. After sometime the student would observe that
 - (a) raisins in beaker A were more swollen than those in beaker B.
 - (b) raisins in beaker B were more swollen than those in beaker A.
 - (c) raisins in both beakers A and B were equally swollen.
 - (d) raisins in beaker A did not swell up at all.
- **43.** The correct formula to calculate the percentage of water absorbed by raisins is (given that W1is the weight of dry raisins and W2 is the weight of soaked raisins).

(a)
$$\frac{W^2-W^1}{W^1}$$
 X 100

(b)
$$\frac{W_1 - W_2}{W_2} X 100$$

(c)
$$\frac{W1}{W2-W1}$$
 X 100 (d) $\frac{W2}{W1-W2}$ X 100

$$(d)^{\frac{W2}{W1-W2}} X 100$$




SUMMATIVE ASSESSMENT – II Class – IX SCIENCE

Solution

Section - A

1.



- 2. Iris
- 3. Plankton, crab, fish, shark.
- 4. These micro organisms break down the complex organic substances into simple inorganic substances that go into the soil and are used once more by plants.
- 5. Modern Periodic law states that "The chemical properties of the elements are the periodic functions of their atomic numbers."


 Hydrogen and Helium
- 6. Mg, P, Cl, Ar.

Increase in atomic no. means increase in nuclear charge which tends to pull the electrons closer to the nucleus and reduces size of atom.


- 7. Leishmania binary fission occurs in definite orientation in relation to the whip like structure. Plasmodium multiple fission.
- 8. Fission, Regeneration, budding, vegetative propagation, spore formation.
- 9. (a) Snell's Law: When a ray of light passes from one medium to another, it refracts and the ratio of the Sin of the I to the Sin of r is always a constant for a pair of media.
 - (b) Ratio of velocity of light in vacuum and velocity of light in mediumn = *sini/sinr*
- 10. (a) 25 cm
 - (b) Increases Rays coming from distant object are focused beyond retina. Only light coming from far point P are focused on retina.

This distance increases in Hypermetropia as we can see the far distant objects easily.






- 11. (a) Because red colour is least deviated
 - (b) Since there will be no particles to scatter light, sky will appear black.
- 12. These are:
 - (1) Non renewable
 - (2) Causes pollution
 - (3) Contribute to global warming
- 13. (a) Ecosystem is disturbed
 - (b) Large areas get submerged causing social problems
 - (c) Economic problems
- 14. (a) 5-8% of acetic acid solution in water
 - (b) When sodium reacts with ethanol, then a sodium salt sod. Ethanoate is formed carbon-dioxide gas is evolved along with water vapors. The involved rxn is as follows: $CH_3COOH + NaHCO_3 \rightarrow CH_3COONa + H_2O + CO_2$
- 15. (a) Borderline elements which are intermediate in properties between metals and non-metals.
 - (b) Boron, silicon, germanium, arsenic, or any correct name.
- 16. (a) The diseases that are sexually transmitted.
 - (i) gonorrhoea or syphillis
 - (ii) warts, HIVAIDS.
 - (b) (i) use of condoms on penis.
 - (ii) use covering on vagina.
- 17. Geographical isolation leads to genetic drift and natural selection as the isolation in a particular area leads to change in genes due to natural selection because only the best suited organisms are able to survive.
- 18. (a) The centre of the lens (0)
 - (b) An imaginary straight line passing through the two centres of curvatures AB)
 - (c) parallel rays after refraction from a convex lens converge at focus. (F)




- 19. Organs having same basic structure but different functions e.g forelimbs of bird, man and frog. It shows that the basic origin is same (common ancestor)
- 20. Real and equal in size to object virtual and enlarged







21. (a) converging and diverging lens



- (b) diverging lens
- 22. (a) Rectified by concave lens.



- (b) Due to excessive curvature of lensor elongation of eye ball
- 23. A child who inherits an X chromosome from his father would be a girl (XX) while the child who 'inherits as Y chromosome from the father would be a boy (XY)





- 24. (i) $CH_4 + 5O_2 \longrightarrow CO_2 + H_2O + \text{heat \& light}$
 - (ii) $2CH_3 CH_2 OH + 2Na \longrightarrow 2CH_3 CH_2 ONa^+ + H_2$
 - (iii) $CH_3COOH + NaOH \longrightarrow CH_3COONa + H_2O$
 - (iv) $CH_3 COOH + Na_2CO3 \longrightarrow 2CH_3COONa + H_2O + CO_2$
 - (v) $C_2 H_5 OH + CH_3 COOH$ Acid \rightarrow $CH_3 COO C_2H_5 + H_2O$


OR

(a) Ethanoic acid

$$CH_3$$
- CH_2OH $HOT con. H_2SO_4$ $CH_2 = CH_2 + H_2O$

Ethanol

- (b) Conc. H₂ SO₄ and heat
- (c) Soap molecules are sodium or potassium salts of long chain carboxylicacids. The hydrophilic end of soap dissolves in water while the carbon chain dissolves in oil. The soap in molecules form micelles with hydrophobic end towards dirt & hydrophilic towards water forming emulsion. Thus washing away dirt.
- 25. (a) Diagram is as follows:




(b) After pollination the pollen grain forms a pollen tube carrying malegametes and enters the embryo sac releasing the nucleii. One male gamete fuses with egg nucleus to form zygote and the other with polar nucleii to form endosperm.


ΩR

(a) Diagram






- (b) Pollination is the process where transfer of pollen grain takes place from anthers to stigma through various agents. [types - self - cross]Fertilisation is fusion of gametes to form zygote [types - external, internal]
- 26. (a) (i) Principal focus
 - r C F
- (ii) Center of curvature




(b) h = x cm, h' = 3 x cm
V = 80 cm u=?
Formula= - h'/h = v/u
u = -26.6 cm
Nature of lens -convex
Inverted, magnified between F1 & 2F1

OR

(a) (i) Principal focus



(ii) Center of curvature.



(b) $u = -8 \text{ cm} \quad v = ?$ $h = 2 \text{ cm} \quad h' = 3 \text{ cm } f = ?$ concave mirror formula h'/h = -v/ucalculate v. v = 12 cm.
Formula of mirror 1/f = 1/v + 1/.calculate f. f = -24 cm.



27. Modes of reproduction used by single organism:

Fission, fragmentation, regeneration, budding, vegetative propagation.

Regeneration in planaria:

Planaria can be cut into many number of pieces and each piece grows into complete organism.

This is known as regeneration.

Many fully differentiated organisms have the ability to give rise to new individual organisms from their own body parts.

OR

The process or mechanism of transfer of pollen grains from the anther to the stigma is termed pollination.

The fusion of male and female gamete giving rise to zygote is termed fertilisation.

Fertilisation requires both male and female gametes. If pollination does not occur, male gamete is not available. Hence fertilisation cannot take place.

Thus fertilisation will not take place without pollination.

SECTION-B

28.(d)	29.(a)	30.(c)	31.(c) 32.(a)	33.(b)
34(b)	35.(b)	36.(a)	37.(c) 38.(c)	39.(d)
40.(a)	41.(b)	42.(a)	43.(a)	