## ACBSE Coaching for Mathematics and Science

#### Home Based CBSE Board Exam 2015

#### SUMMATIVE ASSESSMENT - II (2014-15) SCIENCE Class - X G1QFU6Z

	Time all	owed:3	hours	St. F	Paul K	alyanp	our, Bil	nar	Maxim	um Mar	ks:90	
1/				5750 <sub>1</sub> 1 2 40	K CAR TA							
/	The formu	ila of cit OH	ric acid i	s shown	below:			7教育66				1
		OH										1
	ÇH	$I_2$								f gets		
	H <sub>3</sub> C-C-	COOF	ł									
	CH	2							e e t			
	co	ОН										
	State the r		-COOF	I functio	nal grou	ıp in citr	ic acid.					
0	Mention th	e functi	on of sta	men.								1
2	Identify the	biodea	radable t	ollutant	e from t	he falloy	vina :					1
3	Sewage, agi	0										
	0								riceron IIA		~ .	
4	With the h							SAME AND THE SAME AND ADDRESS.	al to the a	angle of 1	reflection	2
	when a ray	is incid	lent on t	he conca	ve mirro	or.						
5	List four	hanges	in our	habits w	zhich ca	n make	a diffe	rence in	our ene	rov cons	sumption	
3	patterns.	rianges	III oui	Tuons v	vincii co	ar make	u amre	icinee ii	. our cre	78)	F	
	patterns											
6	Non-biodeg	gradable	materia	ils do no	t break	down by	the acti	ion of m	icroorgai	usms. W	/ill there	2
	be any effec											
7 -	The reaction	hetwee	on meths	ane and d	hlorine	is consid	dered a s	enhetitut	tion react	ion Expl	ain with	3
	the help of a				HOTHK	13 CO11310	acrea a i	abstitu	non react	ion. Expr	uni wini	_
	-		_			V						
8	$C_3H_6$ , $C_4H$	$l_8$ and $C$	<sub>5</sub> H <sub>10</sub> belo	ong to th	e same	homolog	gous seri	es.				3
Mag la	(i) De	fine hon	nologou	s series.								
	(ii) Wł	ny the m	elting a	nd boilin	g points	s of $C_5H$	<sub>10</sub> is high	er than	$C_4H_8$ ?	2.43		
	(iii) Ar	range th	ese hyd	rocarbon	s in ord	er of inc	reasing l	boiling p	ooints.			
			1 42 4 1									
9	Explain ho		endency	of meta	allic cha	racter c	hanges	on mov	ing down	n a grou	p in the	3
/ '	periodic tal	ole?										
10	The position	- of	thesa	alamant	, A D	and C	a factor	ha na	riodia ta	shla ic	choven	2
LO	And the second second second second	ili Ol	ппее	elements	A,D	and C	L III I	ne per	nouic u	ible 15	SHOWI	,
	below:	T	III	TIT	TV	17	171	VII	VIII	上特		
1.	Group →	disalway	II and a	III ( LESS )	IV.	Value	VI	VII	VIII	(4)		
	Period 1	E9VE	OTH THERE	¥33943.1	949 44	tered f		1000000	+			
	1	10 545	UX SAINT	190g J = 35	MANY TH	waib io	50% (1e)	C	de Batt	1777		
	2	<u> </u>		1	.979	yastani	dina il	C	1 6 300 m	HEET .		
	3	A	В	<u></u>				]	<u> </u>			
	Giving reaso	ns expla	ain: (a	) Ele	ement A	is a met	tal.					

(b) Element B has larger atomic size than the element C. (c) Element C has a valency of one.

## ACBSE Coaching for Mathematics and Science

ACB	SE Coaching for Mathematics and Science
	rked upon the laws of inheritance and applied it in a number of spheres. cations of Mendels's Laws.
	r and sister are very closely related. In case B, the girl and her 1st cousin are of these two cases which are closely related and why?
	ving processes of asexual reproduction. mation (b) Regeneration (c) Multiple fission
14 How is placenta	designed to give nutrition to the developing embryo?
(a) A bacterial	the following cases : cell is able to survive better in hot weather conditions. producing organisms have more variations.
the distance (b) Define leas	variation in the image distance in the eye when we increase or decrease of an object from the eye? Justify your answer.  distance of distinct vision. Give the value of least distance of distinct g adult with healthy eye.
	ed at a distance of 20 cm from a concave mirror of radius of curvature 60 cm. n and nature of image formed by the mirror. Also find magnification for.
18 "Bharat Scouts and stationary items, ui homes are devastat	Guides" group of a school motivated public to donate old clothes, books, ensils etc so that these can be distributed among the needy people whose ed by floods
(a) Mantion two	o objectives fulfilled by this initiative. values associated with this.
(ii) Generate h	omologous series ? omologous series of alkane upto four carbon atoms. ur characteristics which change with increasing molecular mass in a
20 (a) What is sp	eciation? (b) What are the factors that lead to speciation?
method. (b) How can t	ne type of method of reproduction as used by unicellular organisms. Define the
Draw a diagr (i) the near point	te between the process of reproduction as seen in Amoeba and Leishmania.  Im to show the formation of image of an object placed at soft the deffective eye and (ii) infinity by a myopic eye. With the help of a ray we such eye defect can be corrected? List two reasons due to which this eye seed.
	at infinity from a concave mirror of focal length 10 cm. Find the position and formed. Draw ray diagram to show the formation of image. (not to scale).
24 Account for the	following:

Part of the human eye that helps in changing the focal length of the eye lens.

The condition resulting due to the eye lens becoming cloudy

(a)

(b)

# Coaching for Mathematics and Science

- The factors on which colour of the scattered white light depends (c)
- (d) The range of vision of a normal eye?
- The sky appears dark to the astronauts in the space? (e)

#### **SECTION - B**

- 25 The correct sequence of steps in preparation of soap is:
  - Heat vegetable oil with NaCl, add sodium hydroxide, filter
  - (b) Heat vegetable oil with NaOH, filter, add sodium chloride
  - Heat vegetable oil with NaCl, filter, add sodium chloride (c)
  - Heat vegetable oil with NaOH, add sodium chloride, filter (d)
- During saponification alcohol should be heated: 26
  - on direct flame
- (b) on indirect flame

(c) in oil bath


- in water bath (d)
- 27 Soap gives lather with:
  - soft water (a)

(b) hard water

(c) boiled water (d) cold water

1


- The following are the few steps of the procedure for determining the focal length of a given 28 convex lens by obtaining a sharp image of a distant object:
  - (i) Measure the distance between the lens and the screen
  - (ii) Select a suitable distant object
  - (iii) Adjust the position of the lens to form a sharp image
  - Hold the lens between the object and screen with its faces parallel to the screen. The (iv) correct sequence of the steps for the experiment is:
  - - (iii), (iv), (i), (ii) (b) (ii), (iv), (iii), (i)
  - - (iii), (i), (iv), (ii) (d) (ii), (iii), (iv), (i)
- In the figure below 's' is the position of the screen on which a sharp image of a distant object 29 (nearly 600 m away from the concave mirror of focal length 10 cm) is formed by the mirror 'M'. If the object moves towards the mirror by some distance say 50 cm, then to obtain the sharp image of the object on the same screen again the:



- screen should be moved towards the object. (a)
- screen need not be moved. (b)
- mirror should be moved towards the screen. (c)
- screen and mirror both should be moved towards the object by same distance. (d)
- A student was asked to label his diagram made after tracing the path of a ray of light through a 30 rectangular glass slab. The correct sequence of labeling for Zi, Ze, Zr and lateral displacement respectively is:

### JSUNIL TUTORIAL


ACBSE Coaching for Mathematics and Science




- (a) (1), (2), (3) and (4)
  - (b)
- (3), (4), (1) and (2)
- (c) (1), (3), (2) and (4)
- (d)
- (3), (2), (4) and (1)

2

- When a ray of light enters from air to the triangular glass prism then it emerges out of the prism. In this situation:
  - (a) angle of incidence is smaller than the angle of emergence.
  - (b) angle of incidence is larger than the angle of emergence.
  - (c) angle of incidence is equal to angle of emergence.
  - (d) there is no fixed relation between angle of incidence and angle of emergence.
- 32 Select the mismatched group for homologous organs:
  - (a) forelimbs of horse, wings of bird
  - (b) wings of insect, flippers of seal
  - (c) flippers of seal, wings of birds
  - (d) forelimbs of horse, forearms of man
- 33. Bhavana after observing the structure of a dicotyledonous seed draws the adjoining diagram. Her friend Priya suggested her a major correction in it. It was:



- (a) The size of seed was not proportional.
- (b) The number of cotyledons.
- (c) The shape of cotyledon.
- (d) The position of hypocotyle.
- When acetic acid was added to sodium hydrogen carbonate solution taken in a test tube a brisk effervescence was observed immediately and a transparent solution remained in the test tube. Which gas was liberated as brisk effervescence and give the chemical composition of the transparent solution of the test tube.
- Redraw the following diagrams on your answer sheet and Label them correctly:



A student performed an experiment with convex lens and found the virtual image of an object. Find: (a) Position of the object. (b) Draw ray diagram for the above situation.